



DIMENSION	MEASURE		DIMENSION	MEASURE	
<b>APPLIANCE</b>			MIN Depth of rear opening required with oven.	0	mm
Product width	590	mm	MIN AREA of rear opening required with oven	0	cm <sup>2</sup>
Product depth	510	mm	MIN distance from cabinet to rear wall, with oven	0	mm
Radius of product corner	6	mm	Indicates whether a ventilation opening in the top front side of cabinet is needed or not with oven. Default is "N"	No	
Product height (MAX protrusion from the worktop)	57	mm	MIN Frontal gap required, with oven (2)	0	mm
Underneath the bearing area of the appliance	42	mm	MIN frontal opening area required with oven	0	cm <sup>2</sup>
Distance between cut out and top frontal projection	16	mm	<b>WITH CABINET</b>		
Distance between cut out and top lateral projection	14	mm	MIN worktop thickness with cabinet	0	mm
Plateau thickness	7	mm	MAX worktop thickness with cabinet	0	mm
Gas outlet positioning	Rear right		Indicates whether a protection tray against heat or contact is needed. Default is "Y"	Yes	
Gas outlet X positioning	42	mm	MIN distance from bottom line of appliance to protection tray	20	mm
Gas outlet Y positioning	25	mm	Indicates whether a ventilation opening in the tray is needed or not with cabinet	No	
Power cable	With product		Recess dimension X	0	mm
Power cable positioning	Rear		Recess dimension Y	0	mm
<b>CUT OUT</b>			Positioning dimension X by axis	0	mm
MIN front distance from cut-out to end worktop	0	mm	Distance of the tray from the back panel/wall	0	mm
MIN rear distance from cut out to wall/furniture	55	mm	Indicates whether a divider is available	N/A	
MIN lateral distance from cut out to wall/furniture	115	mm	Indicates whether a ventilation opening in the back side of cabinet is needed or not. Default is "Y"	No	
MIN height from worktop to above furniture	420	mm	Indicates the position of the opening in the back side of the cabinet.	N/A	
MIN cut out width	560	mm	MIN Width of rear opening of the cabinet	0	mm
MAX cut out width	562	mm	MIN Depth of rear opening of the cabinet	0	mm
MIN cut out depth	480	mm	MIN AREA of rear opening of the cabinet	0	cm <sup>2</sup>
MAX cut out depth	482	mm	MIN distance from cabinet to rear wall	0	mm
MIN cut out radius	6.5	mm	Indicates whether a ventilation opening in the top front side of cabinet is needed or not. Default is "N"	No	
MAX cut out radius	8	mm	MIN Frontal gap of the cabinet	0	mm
<b>FLUSH INSTALLATION</b>			MIN frontal opening area of the cabinet	0	cm <sup>2</sup>
Indicates whether a flush installation is possible. Default is "N"	Yes		<b>INSTALLATION SPACE</b>		
MIN Milling rabbet width	593	mm	Depth of immersion underneath the appliance	13	mm
MAX Milling rabbet width	595	mm	Width protruding area below bottom box	63	mm
MIN Milling rabbet depth	513	mm	Depth protruding area below bottom box	62	mm
MAX Milling rabbet depth	515	mm	Protruding area: X positioning	14	mm
Milling rabbet thickness	10	mm	Protruding area: Y positioning	9	mm
Radius milling rabbet	6.5	mm	<b>ACCESSORIES FOR INSTALLATION</b>		
Flush installation KIT (2)	With product		Gasket	Separate KIT	
Indicates the minum worktop thickness with standard installation for gas	20	mm	Clips	Separate KIT	
Indicates the maximum worktop thickness with standard installation for gas	60	mm	Injector KIT	Separate KIT	
Indicates the minum worktop thickness with flush installation for gas	30	mm	Elbow KIT	N/A	
Indicates the maximum worktop thickness with flush installation for gas	68	mm	<b>COOKTOP HOOD INSTALLATION ONLY FOR GAS</b>		
<b>WITH OVEN</b>			MIN distance from cooktop to above furniture	700	mm
Indicates whether the cooktop can be installed above oven. Default is "Y"	Yes		MIN distance between cabinets above the cooktop	600	mm
MIN worktop thickness with oven	0	mm	MAX distance between cabinets above the cooktop	750	mm
MAX worktop thickness with oven	0	mm			
Indicates whether a protection tray against heat or contact is needed with oven. Default is "N"	No				
Indicates whether a ventilation opening in the back side of cabinet is needed or not with oven. Default is "Y"	No				
Indicates the position of the opening in the back side of the cabinet with oven	N/A				
MIN Width of rear opening required with oven	0	mm			